

ASI

ADHESIVES & SEALANTS INDUSTRY

www.adhesivesmag.com








Serving the Global Formulator,
Manufacturer & End User



**The Adhesives and
Sealants Industry's
Best Media Solution**

2012 SPECS Digital, Print & Electronic

PRINT SPECIFICATIONS

				
FULL PAGE-NON BLEED 7" X 10" 178mm X 254mm	2/3 PAGE 4-5/8" X 10" 118mm X 254mm	1/2 PAGE ISLAND 4-5/8" X 7-1/2" 118mm X 191mm	1/3 PAGE SQUARE 4-5/8" X 4-7/8" 118mm X 124mm	1/2 PAGE VERTICAL 3-3/8" X 10" 86mm X 254mm
FULL PAGE-BLEED 8-1/4" X 11" 210mm X 279mm		1/2 PAGE HORIZONTAL 7" X 4-7/8" 178mm X 118mm	1/3 PAGE VERTICAL 2-1/8" X 10" 54mm X 254mm	1/4 PAGE 3-3/8" X 4-7/8" 86mm X 124mm

Page Size	
page trim size	8" x 10 ³ / ₄ " (203mm x 273mm)
spread trim size	16" x 10 ³ / ₄ " (406mm x 273mm)
spread live matter	15 ¹ / ₂ " x 10" (381mm x 254mm)

Note: Supplements may be tipped-in and may be edge-trimmed to fit.

Bleed	
spread, gutter bleed	14 ³ / ₄ " x 10" (375mm x 254mm)
spread, full bleed	16 ¹ / ₄ " x 11" (413mm x 279mm)

Note: Live matter must be kept at least ³/₈" away from trim edge on bleed pages. Bleed extends ¹/₈ inch beyond final trim.

Services Ad Sizes	
Classified column width	2 ¹ / ₈ " (54.02mm)
Services Marketplace unit width	3 ³ / ₈ " (86mm)

Note: Length of ad space varies, please contact sales rep for more information.

Digest Page Size - Global Adhesives & Sealants Directory (GAD)	
page trim size	5 ¹ / ₄ " x 8 ¹ / ₂ " (133.35mm x 215.9mm)
bleed size	5 ¹ / ₂ " x 8 ³ / ₄ " (139.7mm x 222.25mm)
live matter	4 ¹ / ₂ " x 7 ¹ / ₂ " (114.3mm x 190.50mm)

Digest Ad Sizes - Global Adhesives & Sealants Directory (GAD)		
Full page:	7" x 4 ⁷ / ₈ "	(std 1/2 h)
Full page:	4 ¹ / ₂ " x 7 ¹ / ₂ "	(std 1/2 isl)
2/3 pg:	4 ¹ / ₂ " x 4 ⁷ / ₈ "	(std 1/3 s)
1/3 pg s:	3 ³ / ₈ " x 4 ⁷ / ₈ "	(std 1/4)

7" x 4⁷/₈" ads will be run as horizontal ads. To view, directory must be turned with the binding at the top.

PRINTING SPECIFICATIONS

- Binding:** Saddle-stitched.
- Printing:** Heat-set web-fed offset.
- Proofs:** Complete match print proof and set of progressive proofs with color bars are required.
- Color Rotation:** Magenta, yellow, cyan and black progression.
- Composition:** Costs incurred in producing necessary offset material will be billed separately.

DIGITAL AD REQUIREMENTS

ASI is now using a computer-to-plate workflow. Only digital files will be accepted.

Platforms: Macintosh preferred. (IBM-compatible accepted, fonts will be replaced by Mac versions.)

Preferred File Formats: Adobe InDesign CS, Quark XPress, Adobe Photoshop and Adobe Illustrator files accepted. PDFs are accepted. Please call the production manager for correct distiller settings.

Photos: 300 dpi saved as TIF or EPS. Color images must be CMYK. Do not compress graphics using JPG or LZW.

Colors: All colors used should be CMYK, unless a spot color has been purchased.


Electronic Submission: CD-ROM disks accepted. Files sent via e-mail should be 3 MB or less. Larger files should be posted to the FTP site. All artwork (photographs, logos, clipart, etc.) and all fonts (both printer and screen fonts, Postscript Type 1 fonts recommended) must be included. A screened contract quality proof created from the final electronic file must be submitted with each color ad. Kodak Approval proofs preferred. Iris or other SWOP Standard proofs accepted. Color cannot be guaranteed unless an acceptable proof is provided. Please supply B&W laser printout for B&W ads.

Ad Size: Crop marks for full-page ads should be at trim size (8" x 10³/₄"). Bleed ads should extend beyond trim crop marks by ¹/₈" on each side. Vital matter must be kept at least ³/₈" away from trim edges. Fractional ads should match sizes published in media kit.

Proofs: Proofs for advertiser-supplied display ads will not be sent unless requested.

Mobile Tags: Mobile tags are approximately 1" x 1" square. ASI can create the tags for you. Please supply:

- Specific URL
- Preferred position of the tag within the ad.



Submit all I/Os and materials to:
Kelly Southard, Production Manager
email: southardk@bnpmedia.com

Adhesives & Sealants Industry (ASI)
2401 W. Big Beaver, Ste 700, Troy, MI 48084
fax: (248) 786-1348

FTP: <http://upload.bnpmedia.com>
(no user name or password required)

ELECTRONIC SPECIFICATIONS

E-NEWSLETTERS

The following information must be provided when placing an **E-Newsletter ad**:

- START date of ad campaign
- END/ THRU date of ad campaign
- Specific location(s) within the page
- Creative for the ad (the file to be used, or related artwork and requirements if we are to create it—see SPECIFICATIONS below)
- Web address that the ad should link to (target URL)

Ad Sizes: Banner ad - 468 x 60 pixels
Tile ad - 125 x 125 pixels
Skyscraper ad - 120 x 600 pixels

File Size: 20k (20,000 bytes) or less

Colors: 256 colors or less

Resolution: 72 dpi

Format: JPG or GIF/Animated GIF only; No Flash files in eNewsletters

The following information must be provided when submitting a **Focus On**:

- 100 words
- One (1) digital photo
- Contact information

Please send E-Newsletter submissions to Kelsey Seidler – seidlerk@bnpmedia.com.

WEB ADS

The following information must be provided when placing a web ad:

- START date of ad campaign
- END/ THRU date of ad campaign
- Specific Web page(s) & specific location(s) within the Web page [if applicable]
- Creative for the ad (the file to be used, or related artwork and requirements if we are to create it—see SPECIFICATIONS below)
- Web address that the ad should link to (target URL)

Ad Sizes: Banner ad - 468 x 60 pixels
Tile ad - 125 x 125 pixels
Sponsor Button – 120 x 60 pixels
Skyscraper Ad – 120 x 600 pixels
Box Style Feature Ad – 300 x 250 pixels

File Size: 40k (40,000 bytes) or less initial download – JPG's, GIF's, and SWF's

Animation: Within ad units: 30 seconds maximum without being re-initiated by the user. 15 seconds maximum for total animation.

Colors: 256 colors or less

Resolution: 72 dpi

Format: JPG, GIF (static or animated) and SWF*(Adobe Flash, must include .FLA file)

Technical Guidelines:

- All ads should be coded so that click-thrus launch a new browser window using target="_blank".
- 3rd Party Ad tags are accepted, but if click thru URL is embedded in ad, we cannot guarantee the tracking of those click-thrus.
- No ad can prompt the download of a plug-in, and must be coded to search for any required plug-ins and display an alternate ad to those who don't have it.

SWF-FLASH SPECIFICATIONS:

- Must be published for Flash 8 plugin or lower.
- Must have a clicktag encoded:
on (release)
{
getURL(clickTAG,"_blank");
}

- A default gif or jpg must be submitted for visitors without Flash or JavaScript
- Client must submit both .swf and .fla files. If modifications to the .fla are necessary, we will ask that you provide either 1) provide all required fonts in Windows TrueType or Type 1 format, or 2) provide details on necessary changes to be made.
- Must include a prominent close button available for the entire duration of the animation for any ad which overlays content.
- Any sound must be user-initiated by mouse-over or click interaction with an area of the ad clearly labeled with 'sound on' or with appropriate icons such as G clef or speaker. Once turned on, there must be a way to clearly turn off the sound ('sound off' or an appropriate icon).

RICH MEDIA SPECIFICATION

Ad Sizes:

- Floating Ad (Under Search Bar) – 468 x 60 pixels (animation stage varies)
- Expandable Banner Ad (Under Search Bar) – 468 x 60 pixels (468 x 400 total animation stage)
- Page Peel Ad – 150 x 150 pixels (600 x 600 total animation stage)

File Size: 80k (80,000 bytes) or less – All Rich Media ads [40k initial file size, 80k additional file size (Polite Download)]

Animation: Within ad units: 30 seconds maximum without being re-initiated by the user. If overlaying content:

- 10 seconds maximum to reach final resting place. 15 seconds maximum for total animation.

Colors: 256 colors or less

Resolution: 72 dpi

Format: SWF*(Adobe Flash, must include .FLA file)

Technical Guidelines:

- All ads should be coded so that click-thrus launch a new browser window using target="_blank".
- 3rd Party Ad tags are accepted, but if click thru URL is embedded in ad, we cannot guarantee the tracking of those clickthrus.
- No ad can prompt the download of a plug-in, and must be coded to search for any required plug-ins and display an alternate ad to those who don't have it.

SWF-FLASH SPECIFICATIONS:

- Must be published for Flash 8 plug-in or lower.
- Must have a clicktag encoded:
on (release)
{
getURL(clickTAG,"_blank");
}
- A default gif or jpg must be submitted for visitors without Flash or JavaScript
- Client must submit both .swf and .fla files. If modifications to the .fla are necessary, we will ask that you provide either 1) provide all required fonts in Windows TrueType or Type 1 format, or 2) provide details on necessary changes to be made.
- Must include a prominent close button available for the entire duration of the animation for any ad which overlays content.
- Any sound must be user-initiated by mouse-over or click interaction with an area of the ad clearly labeled with 'sound on' or with appropriate icons such as G clef or speaker. Once turned on, there must be a way to clearly turn off the sound ('sound off' or an appropriate icon).

ELECTRONIC SPECIFICATIONS

VIDEO SPECIFICATIONS

Video Sizes: 320 x 240 pixels
640 x 480 pixels
275 x 250 pixels (Homepage video)

File Size: 20MB

Running time: Less than 5 minutes (for longer Videos please contact your sales person)

Format: Windows Streaming Media (WMV), Quicktime, Flash Video (SWF), Flash Streaming (FLV)

PODCAST SPECIFICATIONS

Format: mp3

File Size: 2MB

Running time: Less than 2 minutes (for longer podcasts please contact your sales person)

DIGITAL EDITION SPECIFICATIONS

RICH MEDIA OPPORTUNITIES

STREAMING MEDIA:

- **Video** - Must be uploaded in FLV video format.
- **Audio** - Must be uploaded in MP3 audio format.

FLASH ANIMATION:


- **Format** - Please supply animation as Flash 6 files. Any ActionScript in Flash files must be written in version 2.0. You must supply both the .SWF and .FLA files.
- **White Space** - Make sure there is no white space around the edge of the flash animation. Use a transparent background to define the correct area of the animation.
- **Frame Rate** - Set the flash file to a frame of 30 fps.
- **Links** - There should be no links in the animation we are given. We will create the links for you.
- **Action Scripts** - For animation that shouldn't loop, please "action script" as such. Any action script used in the animations cannot use the root reference. It must instead use parent references.
- **Interactive Animations** - Any user-interactive elements (e.g., buttons) must use the following two functions to disable and then re-enable the container SWF's control over interactions:
 1. `_root.overButton();` (to deactivate the container SWF's control over viewer events)
 2. `_root.outButton();` (to reactivate the container SWF's control over viewer events)
- **File Compression** - Images should be set to lossless compression instead of photo compression.
- **File Size** - There is no file size limit on animations, but for loading purposes, the files should be as small as possible.
- **File Dimensions** - The size of vector-based animations will be variable based on the uploaded PDF. They will retain the same pixel width as the original. Zoom factor 1 = 960 pixels wide. Zoom factor 2 = 1100 pixels wide. Zoom factor 3 = 1225 pixels wide. Nonstandard pages can have smaller widths within the publication. To get the dimensions of a specific page, go into the Replace Page dialog in the setup app for that particular page. That is how you can find out what size the SWF needs to be.

ROTATING ADS:

- **Files Size** - 40k (40,000 bytes) or less initial download - JPG, PNG, and SWF.
- **Colors** - 256 colors or less.
- **Resolution** - 72 dpi.
- **Format** - JPG, PNG and SWF* (Adobe Flash, must include FLA file.)

- **Animation** - Within ad units: 30 seconds maximum without being re-initiated by the user. 15 seconds maximum for total animation.

SPONSORSHIP AREA SPECS



Note: With any of these advertisements listed below, it is possible to animate the ads. Also keep in mind the different monitor sizes will have an effect on how the ads are displayed on the page.

- A. **Toolbar logo** - 100 pixels wide x 35 pixels high.
- B. **Skyscraper ad** - 120 pixels wide x 600 pixels high.
- C. **Banner ad** - 728 pixels wide x 90 pixels high.
- D. **Sponsorship page** - The sponsorship box on the standard intro page to the left of the cover is a full page magazine advertisement. This is a large pop-up in IAB standards. Provide as a PDF using print specifications.

ADDITIONAL PRODUCT SPECS:

- **Tab** - 11 characters (includes spaces)
- **Business Reply Card / Call Back Card** - provide email for responses
- **Blow-in Card** - two (2) panels, each set up as 5" wide x 5" tall (final size). Supply each panel as separate PDF.
- **Bellyband** - two (2) panels, each set up as 8" wide x 5 1/2" tall (final size). Supply each panel as separate PDF.
- **Gatefold** - three (3) panels, each set up as standard full pages (use print specifications). Supply each panel as separate PDF.
- **Barn Door** - five (5) panels, panels 1, 2, 4 & 5 each set up as a standard 1/2 vertical ad size; Panel 3 set up as a standard full page (use print specifications). Supply each panel as separate PDF.

TERMS AND CONTACT INFORMATION

SPECIAL PROMOTIONAL ADVERTISING

ASI accepts paper and other media inserts, including disks, and can accommodate bellybands, cover wraps, cover tips and other specialty promotions. Contact your sales representative or Amy Vallance, publisher, for quotes and specifications.

COMBINATION RATES

Lower rates are available to all product divisions and/or companies under the same "corporate umbrella." Rates are based on total frequency of all insertions. Further discounted rates are available by combining frequency with other BNP Media publications.

SPECIAL POSITIONS/BLEED/REQUESTED POSITIONS

Special positions are available for a 10% premium on b/w page rate. Where positions are requested, but no surcharge is applied, all efforts will be made to meet requests, but positions are not guaranteed. Consult your sales rep for details.

SPECIAL SERVICE AND CHANGE FEES

ASI will work with you to prepare your ad. One (1) proof will be supplied. Additional proofs and changes will be billed at \$50/hour. Any ads prepared remain the property of ASI. Ads may be purchased for \$500 and an electronic file will be supplied. Revisions in customer supplied artwork or files may incur charges. Digital ad preparation will be billed based on size and complexity. Contact your sales rep for more information.

PAYMENT TERMS

Invoices are payable in U.S. funds only, net 30 days. 1½% per month service charge thereafter (½% in Texas). Advertisements originating outside of the U.S. must be prepaid. Extension of credit is subject to the approval of the BNP Media Credit Department. First time advertisers will be required to provide credit information or prepayment at the start of their advertising program. Publisher reserves the right to hold advertiser and/or agency jointly responsible and severally liable for money due and payable to the publisher. Should it become necessary to refer any outstanding balance to an outside agency or attorney for collection, customer understands and agrees to pay all collection costs, including finance charges, court costs and attorney fees.

AGENCY COMMISSION

Recognized agencies receive 15% of gross billing on space, color and position on display ads and other selected products. Invoices are issued the same day as publication. Commission not allowed on other charges unless noted. ASI will not bill above gross rate.

SHORT RATES

Advertisers will be short-rated if, within a 12-month period from date of first insertion, they do not use the amount of space upon which their billings have been based.

COPY AND CONTRACT

Advertisers and agencies assume liability for all content of ads printed and all claims arising therefrom made against the publisher.

CLOSING DATES

Insertion Orders: 1st of the month preceding publication for all issues.

Materials: 5th of the month preceding publication.

Send all I/Os and materials to: Karen Talan, talank@bnpmedia.com

OFFICES

MAIN OFFICE

6075 B Glick Rd.
Powell, OH 43065 USA
614-789-1880

AMY VALLANCE

Publisher
281-550-5855
248-283-6543 (fax)
vallancea@bnpmedia.com

EDITORIAL

SUSAN SUTTON

Editor-in-Chief, Integrated Media
330-336-4098
248-502-2033 (fax)
suttons@bnpmedia.com

TERESA MCPHERSON

Managing Editor
734-332-0541
248-502-2102 (fax)
mcpHERSON@bnpmedia.com

KELSEY SEIDLER

Associate Editor
614-789-1881
248-502-2051 (fax)
seidlerk@bnpmedia.com

PRODUCTION

KELLY SOUTHARD

Production Manager
248-244-6409
248-786-1348 (fax)
southardk@bnpmedia.com

SALES

AMY VALLANCE

U.S., Canada and Latin America
281-550-5855
248-283-6543 (fax)
vallancea@bnpmedia.com

BRANDON MILLER

East Coast Sales Manager
Eastern U.S. and Canada, Latin America
600 Willowbrook Lane, Suite 610
West Chester, PA 19382
610-436-4220 ext. 8513
248-502-9065 (fax)
miller@bnpmedia.com

PATRICK CONNOLLY

Europe, Australia;
Patco Media-London
99 Kings Rd.
Westcliff, Essex UK SSO 8PH
(+) 44-1702-477341
(+) 44-1702-477559 (fax)
patco44uk@aol.com

PEG VAN WINKLE

Inside Sales Associate:
Directory Listings, Classifieds,
Service Marketplace ads, Reprints
614-760-4222
248-283-6530 (fax)
vanwinklep@bnpmedia.com

CORPORATE OFFICE

2401 W. Big Beaver Rd.
Suite 700
Troy, MI 48084
www.bnpmedia.com

JOHN SCHREI

Publishing Director,
Manufacturing Group
248-786-1637

TOM ESPOSITO

Senior Group Publisher,
610-436-4220
espositot@bnpmedia.com



*BNP Media Helps
People Succeed in
Business with
Superior Information*

ADHESIVE & SEALANTS INDUSTRY MISSION STATEMENT:

To combine practical and intelligent editorial focused on manufacturers, formulators, and end users of adhesives and sealants and sealant products, serving as the single-most reliable source for industry news, trends, technology, and information, advancing the global business of adhesives and sealants.